

4 Port USB 2.0 Over Ethernet USB Device Server



USB Over Network | +12V DC Input | Overcurrent Protection | Surface Mountable | 480 Mbps | LED Indicators

Model No. US-S4





- USB Over IP: Connect your USB device to the USB over IP server and it can be shared and accessed by any computer over a wired or wireless network from USB Device Server in the world. Check port and network status with built in LED indicators
- Data Encryption: The USB Device Server software program offers password authorization and traffic encryption for data security and safety.
- **High Speeds:** Share and access 4 USB 2.0 high-speed isochronous USB devices over IP, LAN, WAN, VLAN, VPN, and the Internet from any remote locations.
- **Upstream:** 1 RJ45 connector
- Downstream: 4 USB ports, Type A connectors
- Power Connector: AC Adapter Included
- Mounting Options: Wall & Surface
- Overcurrent Protection: 500mA







<u>View more</u> <u>images here ></u> Interested? LEARN MORE >

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

¹ 1-727-209-1300 (Local) **expert@coolgear.com**



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Input Voltage +12V DC

Power Source AC Adapter Included

Adapter Input Current 0.4A Power

Adapter Input Voltage 110~240V AC

Adapter Output Current 1A
Adapter Output Voltage 12V DC

Compliance Certifications CE, FCC, REACH, RoHS, TAA

Color Gray

Item Dimensions (L × W ×

Physical H)

4.00 × 3.79 × 1.18 in.

Characteristics '

Item Weight 0.206 lbs.

Mounting Style Surface / Wall Mount

What's in the Box Package Contents Hub, Power Adapter

Software OS Support Win 7, Win 8, Win 10, Win 11, Linux, Mac OSX

Operating Temperature 0°C to 55°C (32°F to 131°F)

Environmental Storage Temperature -20 to 75°C (-4 to 167°F)

Humidity 5% ~ 95% (non-condensing)

Product
Information

Warranty

1 year from date of purchase

LED Indicators Network, Port Status, Power, System Status **Hardware**

Downstream USB Ports 4 Type-A Female USB

Performance & Max Data Transfer Rate 480Mbps

Safety Over Current Protection Yes

USB Interface USB 2.0

UPC 045079165007

Other Data Series NWS-UH (Networking Series Hubs)

Weight 0.843 lbs

Dimensions 11.12 × 5.78 × 2.43 in

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

1-888-688-2188 (Toll free)

sales@coolgear.com