



# 6 Port USB 3.2 Gen 1 Over IP Network Device Sharing Type-C Hub w/ Port Status LEDs



Industrial Grade | +9~30V DC Input | Surface Mountable | DIN Rail | 5 Gbps | LED Indicators

Model No. ANYPLACEUSB-H6C



- **Network Device Sharing:** USB devices connected to the 6-Port USB 3.2 Gen 1 Over IP Network Type-C Hub can be made available to remote clients over LAN. The USB 3.2 Gen 1 Over IP Network 6-Port Type-C Hub shares USB devices over the TCP/IP network.
- **Super Fast Speeds:** This USB hub is 3.2 Gen 1 compliant, ensuring super-fast 5Gbps data transfer speeds. It supports super speed, high speed and full speed which enables it to be compatible with USB 2.0 / 1.1.
- **Superior Build Quality:** Housed in a rugged steel chassis with optional mountable flanges, the 6-port Type-C hub is perfect for installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- **Upstream:** 1 USB port, Type B connector
- **Downstream:** 4 USB ports, Type A connectors, 2 USB ports, Type C connectors
- **Power Connector:** 2-Pin Terminal Block
- **Mounting Options:** Wall, Surface, & DIN Rail
- **Supply Current:** 900mA USB Bus Power for Each Downstream Port

Interested? [LEARN MORE →](#)

## Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ [expert@coolgear.com](mailto:expert@coolgear.com)



**We Speak Your Speak** - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

**We're Ready For Integration, Every Time.** - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

**Within every great machine, lives Coolgear.** - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

**Advanced Engineering** - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This

means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

# PRODUCT SPECIFICATIONS

Looking for product documentation?  
[View CAD Models, Data sheet and Drawings here >](#)



|                          |                                    |   |
|--------------------------|------------------------------------|---|
| Power                    | <b>Input Voltage</b>               | +9~30V DC   |
|                          | <b>Power Source</b>                | 2-Pin Terminal Block  |
|                          | <b>External Power Required</b>     | No  |
| Compliance               | <b>Per USB Port Current</b>        | 900mA maximum   |
|                          | <b>Country of Origin</b>           | Taiwan  |
|                          | <b>Certifications</b>              | <a href="#">CE</a> , <a href="#">FCC</a>  |
| Physical Characteristics | <b>Color</b>                       | Black, Green  |
|                          | <b>Item Dimensions (L x W x H)</b> | 4.87 x 2.65 x 1.22 in.  |
|                          | <b>Item Weight</b>                 | 0.6 lbs.  |
|                          | <b>Mounting Style</b>              | Desktop, Surface / Wall Mount   |
|                          | <b>Ports</b>                       | 6 USB Ports   |
|                          | <b>Material of Construction</b>    | Galvanized Steel  |
| What's in the Box        | <b>Package Contents</b>            | 2-Pin Terminal Block, Hub, Mounting Plate, Power Adapter, Power Cable, Screw Pack, USB-A to USB-B Cable |
| Software                 | <b>OS Support</b>                  | Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8  |
| Environmental            | <b>Operating Temperature</b>       | 0°C to 45°C   |
|                          | <b>Storage Temperature</b>         | -20°C to 70°C   |
|                          | <b>Humidity</b>                    | 0% ~ 90% (non-condensing)   |
| Product Information      | <b>Warranty</b>                    | 1 year from date of purchase  |
| Hardware                 | <b>LED Indicators</b>              | ?   |
|                          | <b>Downstream USB Ports</b>        | 2 Type-C Female USB, 4 Type-A Female USB  |
|                          | <b>Upstream USB Ports</b>          | 1 Type-B Female USB   |
| Performance & Safety     | <b>Max Data Transfer Rate</b>      | 5Gbps   |
| Other Data               | <b>UPC</b>                         | 045079162754  |
|                          | <b>USB Interface</b>               | USB 3.2 Gen 1   |
|                          | <b>Series</b>                      | <a href="#">NWS-UH (Networking Series Hubs)</a>   |
|                          | <b>Weight</b>                      | 1.1 lbs   |
|                          | <b>Dimensions</b>                  | 6.25 x 5 x 2.25 in  |

## Ready to Buy? Let's get to work!

[Purchase order](#) lets set you up.

[Online with Credit card](#) Orders shipped same day!

\*orders placed prior to 3:30pm EST

 [1-888-688-2188 \(Toll free\)](tel:1-888-688-2188)

 [sales@coolgear.com](mailto:sales@coolgear.com)