



# 4 Port USB 2.0 Over IP Network Device Sharing Hub w/ Screw-Locking Ports & Status LEDs



Industrial Grade | +7~24V DC Input | Surface Mountable | 480 Mbps

Model No. USBG-4NET



[View more images here >](#)

**\*\*In rare cases, it has been noted that the network sharing software may cause Windows 10 & 11 systems to Blue Screen. If you experience this issue, please [follow this short guide to remedy the situation](#). If the issue persists, reach out to us via our [Technical Support Form](#) or [Support Email](#).\*\***

- **Network Device Sharing:** USB devices connected to the 4-Port USB 2.0 Over IP Network Hub can be made available to remote clients over LAN. The USB 2.0 Over IP Network 4-Port Hub shares USB devices over the TCP/IP network.
- **High Speeds:** This USB hub is 2.0 compliant, ensuring fast 480Mbps data transfer speeds for devices shared over the network. It supports high speed and full speed which enables it to be compatible with USB 1.1.
- **Superior Build Quality:** Housed in a rugged steel chassis with built in mountable flanges, the 4-port hub is perfect for installations in offices, data centers, labs, warehouses, kiosks, and other applications.
- **LED Indicators:** Network, Port Status, USB Link, & Power
- **LAN Port:** 1 RJ45 Connector
- **Upstream:** 1 USB Port, Type B connector, Screw-lock Type
- **Downstream:** 4 USB ports, Type A connectors, Screw-lock Type
- **Power Connector:** 2-Pin Terminal Block, DC Barrel 2.1mm ID x 5.5mm OD
- **Mounting Options:** Wall & Surface

**Interested? LEARN MORE →**

**Questions?** Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ [expert@coolgear.com](mailto:expert@coolgear.com)



**We Speak Your Speak** - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

**We're Ready For Integration, Every Time.** - Coolgear streamlines the task of selecting charging and

Coolgear | Charging & Connectivity Experts  
[www.coolgear.com](http://www.coolgear.com)

Visit [coolgear.com/support](http://coolgear.com/support) for any questions & inquires.

connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

**Within every great machine, lives Coolgear.** - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

**Advanced Engineering** - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

# PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)



|                          |                                    |  |
|--------------------------|------------------------------------|--|
| Power                    | <b>Input Voltage</b>               | +7~24V DC  |
|                          | <b>Power Source</b>                | 2-Pin Terminal Block, AC Adapter Included, DC Barrel Jack<br>2.1mm ID x 5.5mm OD |
|                          | <b>Idle Consumption</b>            | 45.86mA @ 12V Terminal Power   |
|                          | <b>Adapter Input Current</b>       | 1.8A   |
|                          | <b>Adapter Input Voltage</b>       | 100~240V AC  |
|                          | <b>Adapter Output Current</b>      | 3A   |
|                          | <b>Adapter Output Voltage</b>      | 12V DC   |
|                          | <b>External Power Required</b>     | Yes  |
| Physical Characteristics | <b>Item Dimensions (L x W x H)</b> | 6.01 (7.01 w/flange) x 2.35 x 0.91 in.   |
|                          | <b>Item Weight</b>                 | 0.650 lbs.   |
|                          | <b>Mounting Style</b>              | Surface / Wall Mount   |
|                          | <b>Ports</b>                       | 4 USB Ports  |
|                          | <b>Material of Construction</b>    | Galvanized Steel   |
|                          | <b>Screw Lock Compatible</b>       | Yes  |
| What's in the Box        | <b>Package Contents</b>            | 2-Pin Terminal Block, Hub, Power Adapter   |
| Software                 | <b>OS Support</b>                  | Win 7, Win Vista, Win XP   |
| Environmental            | <b>Operating Temperature</b>       | 0°C to 55°C (32°F to 131°F)  |
|                          | <b>Storage Temperature</b>         | -20°C to 85°C (-4°F to 185°F)  |
|                          | <b>Humidity</b>                    | 5% ~ 95% (non-condensing)  |
| Product Information      | <b>Warranty</b>                    | 1 year from date of purchase   |
| Hardware                 | <b>Chipset</b>                     | E3868M4-B, GL 852G   |
|                          | <b>LED Indicators</b>              | Port Status, Power, USB Link   |
|                          | <b>Downstream USB Ports</b>        | 4 Type-A Female USB  |
|                          | <b>Upstream USB Ports</b>          | 1 Type-B Female USB  |
| Performance & Safety     | <b>Isolated/Surge Protected</b>    | Yes  |
|                          | <b>Max Data Transfer Rate</b>      | 480Mbps  |
|                          | <b>Over Voltage Protection</b>     | Yes per buck   |
| Network                  | <b>Ethernet Interface</b>          | 10/100/1000 Mbps Ethernet Port   |
|                          | <b>Ethernet Compliance</b>         | IEEE 802.3   |
| Other Data               | <b>USB Interface</b>               | USB 2.0  |
|                          | <b>UPC</b>                         | 736983901538   |
|                          | <b>Series</b>                      | <a href="#">NWS-UH (Networking Series Hubs)</a>                                  |
|                          | <b>Weight</b>                      | 1.8 lbs  |
|                          | <b>Dimensions</b>                  | 6.5 x 9.5 x 2 in   |

**Ready to Buy? Let's get to work!**

**1-888-688-2188 (Toll free)**

**Purchase order** lets set you up.

Coolgear | Charging & Connectivity Experts  
[www.coolgear.com](http://www.coolgear.com)

Visit [coolgear.com/support](http://coolgear.com/support) for any questions & inquires.

**Online with Credit card** Orders shipped same day!

✉ [sales@coolgear.com](mailto:sales@coolgear.com)

\*orders placed prior to 3:30pm EST